

STORAGE  
B  
2822 SF  
300 SF/OCC  
10 OCC

STORAGE  
B  
280 SF  
300 SF/OCC  
1 OCC

(N) CONF. ROOM  
B  
326 SF  
15 SF/OCC  
22 OCC

(N) OFFICES  
B  
1468 SF  
100 SF/OCC  
15 OCC

CUBICLE OFFICES  
B  
8714 SF  
100 SF/OCC  
88 OCC


CUBICLE OFFICES  
B  
5974 SF  
100 SF/OCC  
60 OCC

OFFICES  
B  
863 SF  
100 SF/OCC  
9 OCC

- LEGEND**
- XX NO. OCCUPANTS SERVED
  - ↓ ILLUMINATED EXIT SIGN
  - ⊗ ILLUMINATED EXIT SIGN
  - ELECTRICAL ROOM ← ROOM NAME / USE
  - B ← OCC GROUP
  - 214 SF ← AREA (SQ. FT.)
  - 300 SF/OCC ← OCC LOAD FACTOR / OCC
  - 1 OCC ← OCCUPANCY LOAD
  - 1-HR FIRE-RATED WALL W/ 20 MIN DOORS

NEW: STROBE ALARM IN NEW OFFICES BY CONTROL

**1 SECOND FLOOR OCCUPANCY AND EXITING PLAN**  
G-102 3/32"=1'-0"



WALLY B. HANCOCK  
DESIGN & CONSTRUCTION  
(503) 649-6672

CORBIN CONSULTING ENGINEERS, INC.  
20595 S.W. Fishback Valley Hwy, Suite 204  
Beaverton, OR 97006 Fax: (503) 356-6644  
Tel: (503) 356-6544  
CORBIN

PROJECT TITLE: FIRE AND LIFE SAFETY PLAN  
YOSHIDA OFFICES EAST  
17230 NE SACRAMENTO ST  
PORTLAND, OR 97230  
CLIENT:

REV	DESCRIPTION	DATE	APPR	AEW
0	FINAL	01/13/05		

Drawn By: TPP  
Approved By: AEW  
Date: 01/28/05  
Sheet Title: SECOND FLOOR OCCUPANCY AND EXITING PLAN  
Sheet Number: G-102  
Proj No: CC05003