

**CODE INFORMATION**

**CODE COMPLIANCE**

BUILDING	- 2009 IBC
ELECTRICAL	- 2008 NEC
FIRE SAFETY	- 2009 IFC
MECHANICAL	- 2009 IMC
PLUMBING	- 2009 IPC
ENERGY	- 2015 IECC
ACCESSIBILITY	- 2012 TAS

**OCCUPANCY LOAD**

BUSINESS	1845 S.F. / 100	= 19 OCCUPANTS
ASSEMBLY	280 S.F. / 15	= 19 OCCUPANTS
<b>TOTAL</b>		<b>38 OCCUPANTS</b>

**EGRESS**

75'	COMMON PATH OF EGRESS (MAX. ALLOWED)
73'	COMMON PATH OF EGRESS (ACTUAL)
1	EXITS (MIN. REQUIRED)
1	EXITS (ACTUAL)

**OTHER**

FULLY FIRE SPRINKLERED	- NO
OCCUPANCY GROUP	- BUSINESS

**LEGEND**

(ALL SYMBOLS MAY NOT APPLY)

	EXISTING PARTITION		PHONE BOARD
	NEW PARTITION		WATER LINE W/ SHUT-OFF VALVE
	DEMISING PARTITION W/ SOUND INSULATION		FIRE EXTINGUISHER W/ CABINET
	PARTITION W/ SOUND INSULATION		FIRE EXTINGUISHER ON HOOK
	ONE HOUR PARTITION		
	TWO HOUR PARTITION		
	SIDLIGHT/WINDOW		

THIS PLAN IS SUBJECT TO APPROVAL BY THE MUNICIPAL CODE AUTHORITIES. THESE DOCUMENTS ARE INCOMPLETE AND MAY NOT BE USED FOR REGULATORY APPROVAL, PERMIT OR CONSTRUCTION. ROOM SIZES ARE APPROXIMATE ONLY AND ARE NOT TO BE USED FOR FINAL DETERMINATION OF FURNITURE SIZES OR PLACEMENT.

