Lee Vista Building "B"

Emerald Dunes Drive

Orlando, FL 32822



Features:

Total Size: 66,725 SF
Availability: 66,725 SF

Building Type: Single-story office

◆ Ceiling Height: 18'

Column Spacing: 40'W x 40'D
Building Dimensions: 560'W x 120'D
Construction: Concrete Tilt Wall

Building Entrance: Aluminum storefront frames

with tinted glass

◆ Fire Protection: NFPA - 13 fully sprinklered

Parking: 304 Spaces

◆ Electrical Service: 277/480 volts, 3-phase,

4 wire service

Roof: 45 mil, TPO single-ply

membrane mechanically

fastened roof, R-10 insulation

♦ Site Size: 6.15 acres





COMMERCIAL REAL ESTATE SERVICES LOCAL EXPERTISE. NATIONAL REACH. WORLD CLASS.

4700 Millenia Blvd Suite 200 Orlando, FL 32839 321.281.8500 phone 321.281.8519 fax www.lee-associates.cc

Tom McFadden, SIOR

321.281.8501

tmcfadden@lee-associates.com

William "Bo" Bradford, CCIM, SIOR


321.281.8502

bbradford@lee-associates.com

Lee Vista Building "B"

Emerald Dunes Drive

Orlando, FL 32822





COMMERCIAL REAL ESTATE SERVICES

LOCAL EXPERTISE. NATIONAL REACH. WORLD CLASS.

4700 Millenia Blvd Suite 200 Orlando, FL 32839 321.281.8500 phone 321.281.8519 fax www.lee-associates.com

321.281.8501

tmcfadden@lee-associates.com

Tom McFadden, SIOR

William "Bo" Bradford, CCIM, SIOR

321.281.8502

bbradford@lee-associates.com

Lee Vista Business Center Orlando, Florida

Building Description

Building: Lee Vista Business Center Building B

Address: Emerald Dunes Drive at Lee Vista Boulevard, Orlando, Florida

Access: Lee Vista is located on the Beachline Expressway directly across from

the Orlando International Airport. Lee Vista Business Center is located off Lee Vista Boulevard between S. Goldenrod Road and Narcoossee

Road.

Architect: Smallwood Reynolds Stewart, Stewart & Associates, Architects

Building Type: Single-story office.

Site Size: 6.15 acres

Building Size: 66,725 square feet (BOMA Rentable)

Ceiling Height: 18' minimum clearance to bar joist

Column Spacing: 40' wide x 40' deep

Dimensions: 560' wide by 120' deep

Construction: Exterior tilt wall with full height, tinted, insulated glass on all sides,

structural bar joists and truss, corrugated metal deck with rigid insulation.

Building Entrances: Aluminum storefront frames with tinted glass

Car Parking Spaces: 304 spaces.

Roof: 45 mil, TPO single-ply membrane mechanically fastened roof, R-10

insulation.

Floor Slab: 6" thick 4,000 psi concrete.

Fire Protection: NFPA-13 fully sprinklered.

HVAC: Office HVAC served by individual roof-mounted package units.

Electrical Service: 277/480 volts, three phase, four wire service.



